

EQUIPMENT LIST

*****New for 2015!*****

[DMU 65 monoBLOCK® 5-Axis Machining Center](#) : with a 60 station ATC using HSK 63 Tool holders,

Blum LMT laser tool probe, 18,000 rpm Spindle, and with HEIDENHAIN Control

33" (840 mm) Diameter x 20" (500 mm) High Rotary Table / Swivel range $\pm 120^\circ$

Travel: X, 29" (735 mm) Y, 26" (660 mm) Z, 22" (560 mm)

14 = New in 2014!

CNC Turning

[Hankook VTC 200E](#): Vertical Boring Mill with live milling
100" \emptyset Swing x 60" high; 24 tool ATC

[Hankook VTC 160E](#): Vertical Boring Mill with live milling
80" \emptyset Swing x 54" high; 24 tool ATC

[Hankook VTC 140](#): Vertical Boring Mill with live milling
63" \emptyset Swing x 36" high; 24 tool ATC

[Hankook VTB 140](#): Vertical Boring Mill
63" \emptyset Swing x 36" high

[Hankook VTC 100](#): Vertical Boring Mill with live milling
50" \emptyset Swing x 32" high; 24 tool ATC

[Doosan/Daewoo Puma 700 Lathe](#):
32" \emptyset Swing x 63"

(3) [Doosan/Daewoo Puma 400 Lathe](#):
Two turning center work-cell / one stand alone
22" \emptyset Swing x 38"

[Doosan/Daewoo 12LB Lathe](#):
20" \emptyset Swing x 42"

[Hankook 7NB Lathe](#):
Equipped with steady-rests and 24" 4-jaw chuck and 18" 3-jaw chuck
24"/19" \emptyset Swing x 112"

(2) [Doosan/Daewoo Puma 300B Lathe](#):
Two turning center work-cell
16" \emptyset Swing x 25"

AnSCO Machine Company

60 Cuyahoga Falls Industrial Parkway • Cuyahoga Falls, OH 44264
Phone: 330.929.8181 • Toll Free: 800.346.8196 • Fax: 330.929.7474

www.anscomachine.com

14 [Doosan/Daewoo Puma 300MC](#) Lathe:
Turning Center with live tooling
14"Ø Swing x 23"

[Doosan Puma TT 2500SY](#) Lathe:
Twin spindles, twin turrets with live tooling, 10" chuck, 3" diameter bar feeder and parts catcher
13"Ø Swing x 20"

[Doosan/Daewoo Puma 240C](#) Lathe:
3" diameter bar feeder and parts catcher
10"Ø Swing x 17"

(2) [Doosan/Daewoo Puma 200C](#) Lathe:
Two turning center work-cell
10"Ø Swing x 17"

[Doosan QL30H](#) Lathe:
Twin spindles and robotic gantry loading
10"Ø Swing x 12"

CNC Horizontal Machining Centers

14 [Toyoda FH-450S HMC](#): with a 120 station ATC; 12 pallet FMS system; 15,000 RPM CAT-40 spindle; full 4th axis ;
Part probing; Tool Breakage Detection System

Travel X, 23.62" (600 mm) Y, 23.62" (600 mm) Z, 23.62" (600 mm)

[Makino A-92 HMC](#): with 92 station CAT-50 ATC; pallet changer; 10,000 RPM spindle; full 4th axis; part probing.

Travel X, 60" (1520 mm) Y, 50" (1250 mm) Z, 53" (1350 mm)

[Makino A-82M HMC](#): with a 60 ATC; pallet changer; high-torque CAT-50 spindle; full 4th axis; part probing.

Travel X, 43" (1100 mm) Y, 33" (840 mm) Z, 40" (1020 mm)

[Makino A-82 HMC](#): with a 60 ATC; pallet changer; 10,000 RPM CAT-50 spindle; full 4th axis; part probing.

Travel X, 43" (1100 mm) Y, 33" (840 mm) Z, 40" (1020 mm)

[Makino A-81 HMC](#): with a 60 station ATC; pallet changer; 10,000 RPM CAT-50 spindle; full 4th axis; part probing.

Travel X, 35" (900 mm) Y, 33" (840 mm) Z, 40" (1020 mm)

(2) [Makino A-51 HMC](#): with a 60 station ATC; pallet changer; 14,000 RPM CAT-40 spindle; full 4th axis; part probing.

Travel X, 22" (560 mm) Y, 22" (560 mm) Z, 23" (600 mm)

AnSCO Machine Company

60 Cuyahoga Falls Industrial Parkway • Cuyahoga Falls, OH 44264
Phone: 330.929.8181 • Toll Free: 800.346.8196 • Fax: 330.929.7474

www.anscomachine.com



CNC Vertical Machining Centers

[Toyoda BM 1600 VMC](#): with a 30 station ATC

Travel X, 26" (660 mm) Y, 52" (1320 mm) Z, 26" (660 mm)

[Daewoo ACE V65 VMC](#): with a 32 station ATC

Travel X, 26" (660 mm) Y, 52" (1320 mm) Z, 26" (660 mm)

[Hurco VM2 VMC](#): with a 20 station ATC

Travel X, 18" (460 mm) Y, 32" (810 mm) Z, 18" (460 mm)

[Doosan VC 510](#): with a 30 station ATC and pallet changer

Travel X, 30" (762 mm) Y, 20" (516 mm) Z, 22" (1259 mm)

[Brother TC324 Drill and Tap Center](#): with a 12 station ATC and pallet changer

Travel X, 16" (410 mm) Y, 24" (610 mm) Z, 12" (300 mm)

AnSCO Machine Company

60 Cuyahoga Falls Industrial Parkway • Cuyahoga Falls, OH 44264
Phone: 330.929.8181 • Toll Free: 800.346.8196 • Fax: 330.929.7474

www.anscomachine.com



Quality

Mitutoyo Bright Apex 710 Coordinate Measuring Machine (CMM): 28" x 40" x 24" with motorized head. Fully programmable from solid models.

Romer Arm: a portable CMM with 9 foot reach. Works with solid models and provides automated data collection.

Faro Arm; a portable CMM with 4 foot reach. Works with solid models and provides automated data collection.

Mitutoyo 201J Profilometer

Krautkramer MIC-10 ultrasonic contact impedance hardness tester

Optima Plus Master Height Gauge: 24"

Mechanical Gauging to 100"

CAD/CAM & Technology

Model-based definition

- Solidworks 2012
- AutoCAD 2007
- Espirit 2012

Accepted drawing file formats include Solidworks, Iges, Parasolid, Inventer, Catia, and ProE
CIMCO CNC/DNC editing and data transfer software

Wireless Ethernet LAN connections to all CNC equipment

Zoller Smile 600 Tool Setter: digital and vision tool settings with wireless transfer of data to machine controls.

AnSCO Machine Company

60 Cuyahoga Falls Industrial Parkway • Cuyahoga Falls, OH 44264
Phone: 330.929.8181 • Toll Free: 800.346.8196 • Fax: 330.929.7474

www.anscomachine.com